

Powerful A3 black & white multifunction printing

IM 2500 IM 3500 IM 4000 IM 5000 IM 6000

🗹 Copier 🖉 Printer 🖾 Facsimile 🖾 Scanner

A range of intelligent devices for all your office printing needs

The IM 2500, IM 3500, IM 4000, IM 5000 and IM 6000 are designed to effortlessly boost office productivity thanks to features such as high scanning speeds, RICOH Always Current Technology and an extensive range of finishing options. Suitable for organizations of all sizes across multiple industries, the entire range enables more streamlined and efficient document workflows to adapt to changing office requirements without compromising on quality and productivity. With these intelligent devices in place, printing is smarter, faster and always up-to-date with the very latest technological updates and advancements from Ricoh. This is the go-to range that delivers consistent results whatever your printing or scanning requirements may be. With different models to choose from, you're guaranteed to find a multifunction device that 100% meets your needs.

- Work smarter access new applications, features and upgrades whenever you need them
- Work your way wide range of finishing options ranging from internal finisher to booklet finisher
- Work faster scan between 120 and 240 impressions per minute in B&W and color
- Work securely multi-layered security for risk-proof document management

This range of intelligent black and white multifunction devices is powerful, reliable and constantly updated with the latest technology to provide you with high-quality printing and scanning — any time, any place, anywhere.

Ricoh intelligent devices: Scalable. Secured. Sustainable. Simple.

Technology that never becomes dated

With our range of intelligent devices, you can benefit from the outstanding quality, reliability and security that you can expect from Ricoh — plus on-demand access to the latest technology.



Always up-to-date

Simply add software solutions, applications and cloud services as you need them to optimize your document management workflows, helping your people work smarter, faster and more securely.

RICOH Always Current Technology allows new features, applications and upgrades to be downloaded and installed directly to your device.

Technology and security, made easy

Connecting your Ricoh intelligent device to external cloud services and installing apps with workflow capabilities is easy. Convert paper-based information to digital by scanning directly to services such as Dropbox[™] or SharePoint[™] or scan direct to folders on your corporate network. Get quick access to a range of 'scan-to' functionality as new services become available.

Prevent your data and printing from being compromised with multi-layered security features that make document management risk-proof.



Expert document management and outstanding quality Get sharp text and graphics without saturation using Ricoh's advanced printing technologies that deliver the best quality print results every time.

Straightforward printing for busy offices

Streamlined workplaces require streamlined systems Working environments are becoming more streamlined. From apps and smart devices to virtual meetings and data accessed via cloud environments, every element of office working is evolving. Rightfully, people expect their office equipment to facilitate this new way of working.

The latest devices, with their intuitive features, are being continuously updated to incorporate up-to-the-minute developments — catering to all requirements while keeping pace with these technological developments.

Industry-leading suite of finishing options

The wide variety of paper support and finishing options enable you to configure your device to your needs.

Booklet finishers can print booklets and magazines, while the hybrid finisher offers staple-free binding.

Finishers can punch and staple. And with the multifolding unit, you can fold leaflets.

The different paper options offer additional paper capacity reducing refill jobs.



About the range — at a glance

A3 B&W intelligent devices are designed to boost office productivity without complex user interfaces, thanks to the Smart Operation Panel.

With features such as high scanning speeds and an extensive range of finishing options, this improved productivity is also effortless.

All the way up to a blistering 60 pages per minute, the range perfectly tailors to a wide range of business needs and sectors. Along with the print speed performance you need, the range offers impressive scan speeds between 120 – 240 ipm in B&W and color.



Making every day tasks easier

- The latest technology: RICOH Always Current Technology provides access to required applications, the latest features and upgrades.
- Total integration: RICOH Smart Integration provides cloud-based apps and a cohesive document workflow across multiple devices.
- Productivity: The intuitive Smart Operation Panel makes using the devices quick and easy and workflows more intuitive.
- Safety: RICOH Smart Device Connector enables touchless operation of the MFP, allowing users to control all print, copy, scan and fax functions from Android and iOS devices smartly and safely.

About those industry-leading features – in more detail...

RICOH Always Current Technology

Always Current Technology delivers timely solutions to meet your changing needs. With RICOH Always Current Technology enabled, the capabilities of your Ricoh intelligent device continually adapt to the changing demands of your workforce.

Available on most of Ricoh's intelligent devices, it quietly and continually supports you, automatically downloading software updates. And, just like your smartphone, it prompts you to activate the update at your convenience. The process is simple and secured.



RICOH Smart Integration Platform

RICOH Smart Integration helps maximize your MFP investment by providing document workflow automation right from your device. Users will be able to digitize and route documents seamlessly, allowing them to work faster, smarter and more cost effectively.

Whether the document destination is a folder, an email recipient, a fax number, in the cloud or local — RICOH Smart Integration helps get the document to the right location, in the right file format, with the right file naming.

RICOH Smart Integration is provided through a simplified subscription model, making it quick and easy to get started, and you have immediate access to the latest features without high upfront costs. The capabilities available through subscription are growing rapidly, and new workflow integrations are completed by Ricoh's committed team of developers on an on-going basis.

Smart Operation Panel

With our latest 10.1" Smart Operation Panel, complete with soft-key operation, your Ricoh multifunction printer is even easier to touch, swipe and get the job done, thanks to a range of helpful features — including a customizable home screen and full internet browser capability.

When you want to simplify and improve document processes in your office, Ricoh's new range of A3 B&W intelligent MFPs — featuring Smart Operation Panel technology — brings you high quality printing, high efficiency workflows and low running costs.



Smart Device Connector

Smart devices are seeing greater and greater use on the business scene, but procedures for connection to office equipment are complex and still by no means stressfree. With our Smart Device Connector, those complex procedures become simple, and you can seamlessly connect to various smart devices.

You can also operate a multifunction product by NFC or QR code. Simply hold the smart device over it, and you're connected.

Secured. Sustainable. Simple.



Secured: Stay current with the latest security tools

Cyber security is a growing threat. Prevent your data and printing from being compromised with multi-layered security features that risk-proof document management.

Ricoh's Always Current Technology not only ensures you benefit from all the latest features and apps, it also ensures your device is always running the latest security update too.

Sustainable: Improve your carbon footprint

Since Kiyoshi Ichimura founded Ricoh's principles in 1946, we continue to leverage the power of business through incorporating social and environmental sustainability undertaking a range of initiatives in keeping with our sustainability message: Driving Sustainability for Our Future.

Sustainability is at the heart of everything we do. Ricoh MFPs are designed to be energy efficient. It's as important to us as it is to you that any device we develop leaves a small carbon footprint on the environment. We also have a deep commitment to minimizing the environmental impact of our devices and workflow, which is why we continually work to meet the global standards for energy and resource efficiency, as defined by EPEAT[®]* and ENERGY STAR[®]. Ricoh devices have low energy consumption levels, in both Typical Electricity Consumption (TEC) and actual power consumption.

Simple: Cut your printing costs

Organizations are under pressure to keep company-wide costs down. Consolidate your printing equipment down into one highly productive and reliable fleet.

B&W printing is notable for reducing printing costs and, alongside quality and efficient scanning, will reduce paper usage overall.

We also offer a selection of cost control software products — from tracking energy, paper and consumables consumption to ensuring that the most efficient settings have been activated across all your print devices.



RICOH IM 2500/IM 3500/IM 4000/IM 5000/IM 6000

MAIN SPECIFICATIONS

	RICOH IM 2500	RICOH IM 3500	RICOH IM 4000	RICOH IM 5000	RICOH IM 600
JENERAL					
Warm-up time	18 seconds	18.6 seconds	17.9 seconds	19.1 seconds	18.8 seconds
First output speed	4.1 seconds	3.8 seconds	3.6 seconds	2.7 seconds	2.3 seconds
Continuous output speed	25 ppm	35 ppm	40 ppm	50 ppm	60 ppm
Vemory: standard			2 GB		
IDD: maximum			320 GB		
PDF capacity			220 sheets		
Veight			168.6 lbs (76.5 kg)		
Dimensions: W x D x H		23.1	" x 25.7" x 37.9" (587 x 673 x 963 r	nm)	
ower source			120-127 V / 12A 60 Hz		
OPIER (STANDARD)					
Multiple copying			Up to 999 copies		
Copy resolution: maximum			600 x 600 dpi		
Zoom			From 25% to 400% in 1% steps		
RINTER (STANDARD)					
CPU			Atom Processor Apollo Lake-I 1.36		
Printer language: standard			5, PostScript 3 (emulation), PDF direct		
rinter language: option		Genuine Ado	be® PostScript®3™, IPDS, PDF Direct f	rom Adobe®	
Print resolution: maximum			1,200 x 1,200 dpi		
Network interface: standard		Ethernet 10 base-T/100 b	ase-TX/1000 base-T, USB Host I/F Type	A, USB Device I/F Type B	
Network interface: option			Wireless LAN (IEEE 802.11a/b/g/n)		
Mobile printing capability		Apple AirPrir	nt, Mopria®, NFC, RICOH Smart Device	e Connector	
Windows® environments	Windows	8.1, Windows [®] 10, Windows [®] Serve	er 2012, Windows® Server 2012R2, V	/indows® Server 2016, Windows® Ser	ver 2019
Mac OS environments			Macintosh OS X v10.13 or later		
UNIX environments	UNIX Sun® Solaris, I	IP-UX, SCO OpenServer, RedHat® Linı	ıx, IBM® AIX, Citrix XenApp (7.6 LTSR	, 7.15 LTSR, VirtualApps/Desktops 7 1	912 LTSR and later)
SAP® environments			SAP® R/3®, SAP® S/4®		
Other supported environments		AS/	400® using OS/400 Host Print Transfo	rm	
CANNER (STANDARD)					
Scanning: B/W / Color			120 ipm (simplex)/240 ipm (duplex)		
Resolution: maximum		600) x 600 dpi (1200 x 1200 dpi via TWA	IN)	
			e: TIFF, JPEG, PDF, High compression F		
File formats			age: TIFF, PDF, High compression PDF,		
File formats		iviuiti p			
File formats Scan modes			E-mail, USB, SD Card, URL, FTP, SMB		
Scan modes			E-mail, USB, SD Card, URL, FTP, SMB		
Scan modes AX (OPTION)					
Scan modes AX (OPTION) Circuit			PSTN, PBX		
Scan modes AX (OPTION) Circuit Transmission speed			PSTN, PBX Approximately 2 seconds		
Scan modes AX (OPTION) Circuit Iransmission speed Vodem speed: maximum			PSTN, PBX Approximately 2 seconds 33.6 Kbps		
Scan modes AX (OPTION) Circuit Iransmission speed Vodem speed: maximum		Stand Det	PSTN, PBX Approximately 2 seconds 33.6 Kbps ard mode: 8 x 3.85 line/mm, 200 x 10 ail mode: 8 x 7.7 line/mm, 200 x 200	dpi	
Scan modes AX (OPTION) Circuit Transmission speed Modem speed: maximum Resolution		Stand Det	PSTN, PBX Approximately 2 seconds 33.6 Kbps ard mode: 8 x 3.85 line/mm, 200 x 10 ail mode: 8 x 7.7 line/mm, 200 x 200 n mode: 16 x 15.4 line/mm, 400 x 40	dpi	
Scan modes AX (OPTION) Circuit		Stand Det Optio	PSTN, PBX Approximately 2 seconds 33.6 Kbps ard mode: 8 x 3.85 line/mm, 200 x 10 ail mode: 8 x 7.7 line/mm, 200 x 200	dpi 0 dpi	
Scan modes AX (OPTION) Circuit Transmission speed Modem speed: maximum Resolution Compression method		Stand Det Optio	PSTN, PBX Approximately 2 seconds 33.6 Kbps ard mode: 8 x 3.85 line/mm, 200 x 10 ail mode: 8 x 7.7 line/mm, 200 x 200 n mode: 16 x 15.4 line/mm, 400 x 40 MH, MR, MMR, JBIG	dpi 0 dpi es)	
Scan modes AX (OPTION) Circuit Transmission speed Modem speed: maximum Resolution Compression method Memory APER HANDLING		Stand Det Optio Sta Opti	PSTN, PBX Approximately 2 seconds 33.6 Kbps ard mode: 8 x 3.85 line/mm, 200 x 10 ail mode: 8 x 7.7 line/mm, 200 x 200 n mode: 16 x 15.4 line/mm, 400 x 40 MH, MR, MMR, JBIG ndard: 4 MB (approximately 320 pago onal: 60 MB (approximately 4,800 pa	dpi 0 dpi es) ges)	
ican modes AX (OPTION) Circuit Transmission speed Modem speed: maximum Resolution Compression method Memory APER HANDLING		Stand Det Optio Sta Opti Trays 1 and 2:	PSTN, PBX Approximately 2 seconds 33.6 Kbps ard mode: 8 x 3.85 line/mm, 200 x 10 ail mode: 8 x 7.7 line/mm, 200 x 200 n mode: 16 x 15.4 line/mm, 400 x 40 MH, MR, MMR, JBIG ndard: 4 MB (approximately 320 page	dpi 0 dpi es) ges) B6, Envelopes	
ican modes AX (OPTION) Circuit iransmission speed Addem speed: maximum tesolution Compression method Ademory APER HANDLING tecommended paper size		Stand Det Optio Sta Opti Trays 1 and 2:	PSTN, PBX Approximately 2 seconds 33.6 Kbps ard mode: 8 x 3.85 line/mm, 200 x 10 ail mode: 8 x 7.7 line/mm, 400 x 40 n mode: 16 x 15.4 line/mm, 400 x 40 MH, MR, MMR, JBIG ndard: 4 MB (approximately 320 pag onal: 60 MB (approximately 4,800 pa	dpi 0 dpi es) ges) B6, Envelopes	
ican modes AX (OPTION) Circuit fransmission speed Modem speed: maximum Resolution Compression method Memory APER HANDLING Recommended paper size Paper input: standard		Stand Det Optio Sta Opti Trays 1 and 2:	PSTN, PBX Approximately 2 seconds 33.6 Kbps ard mode: 8 x 3.85 line/mm, 200 x 10 ail mode: 8 x 7.7 line/mm, 200 x 200 n mode: 16 x 15.4 line/mm, 400 x 40 MH, MR, MMR, JBIG ndard: 4 MB (approximately 320 page onal: 60 MB (approximately 320 page onal: 60 MB (approximately 4,800 pa	dpi 0 dpi es) ges) B6, Envelopes	
can modes AX (OPTION) Circuit transmission speed Aodem speed: maximum tesolution Compression method Ademory APER HANDLING tecommended paper size taper input: standard taper input: maximum		Stand Det Optio Sta Opti Trays 1 and 2:	PSTN, PBX Approximately 2 seconds 33.6 Kbps ard mode: 8 x 3.85 line/mm, 200 x 10 ail mode: 8 x 7.7 line/mm, 200 x 200 n mode: 16 x 15.4 line/mm, 400 x 40 MH, MR, MMR, JBIG ndard: 4 MB (approximately 320 page onal: 60 MB (approximately 4,800 pa Letter, Legal, Ledger, HLT, A3-A6, B4- egal, Ledger, HLT, A3-A6, B4-B6, Enve 1,200 sheets	dpi 0 dpi es) ges) B6, Envelopes	
Scan modes AX (OPTION) Circuit Transmission speed Modem speed: maximum Resolution Compression method Memory APER HANDLING Recommended paper size Paper input: standard Paper output: standard Paper output: standard	1,625 sheets	Stand Det Optio Sta Optio Trays 1 and 2: Bypass tray: Letter, 1	PSTN, PBX Approximately 2 seconds 33.6 Kbps ard mode: 8 x 3.85 line/mm, 200 x 10 ail mode: 8 x 7.7 line/mm, 200 x 200 n mode: 16 x 15.4 line/mm, 400 x 40 MH, MR, MMR, JBIG ndard: 4 MB (approximately 320 pag onal: 60 MB (approximately 320 pag onal: 60 MB (approximately 4,800 pa Letter, Legal, Ledger, HLT, A3-A6, B4- egal, Ledger, HLT, A3-A6, B4-B6, Envi 1,200 sheets 4,700 sheets 500 sheets	dpi 0 dpi es) ges) B6, Envelopes elopes, Custom size	3.625 sheets
Scan modes AX (OPTION) Circuit Transmission speed Modem speed: maximum Resolution Compression method Memory APER HANDLING Recommended paper size Paper input: standard Paper output: standard Paper output: standard Paper output: maximum Paper o	1,625 sheets	Stand Det Optio Sta Opti Trays 1 and 2:	PSTN, PBX Approximately 2 seconds 33.6 Kbps ard mode: 8 x 3.85 line/mm, 200 x 10 ail mode: 8 x 7.7 line/mm, 200 x 200 n mode: 16 x 15.4 line/mm, 400 x 40 MH, MR, MMR, JBIG ndard: 4 MB (approximately 320 pag onal: 60 MB (approximately 4,800 pa letter, Legal, Ledger, HLT, A3-A6, B4- egal, Ledger, HLT, A3-A6, B4-B6, Enve 1,200 sheets 4,700 sheets 500 sheets 3,625 sheets	dpi 0 dpi es) ges) B6, Envelopes	3,625 sheets
Scan modes AX (OPTION) Circuit Transmission speed Modem speed: maximum Resolution Compression method Memory APER HANDLING Recommended paper size Paper input: standard Paper output: standard Paper output: standard	1,625 sheets	Stand Det Optio Sta Sta Optio Trays 1 and 2: Bypass tray: Letter, 1	PSTN, PBX Approximately 2 seconds 33.6 Kbps ard mode: 8 x 3.85 line/mm, 200 x 10 ail mode: 8 x 7.7 line/mm, 200 x 200 n mode: 16 x 15.4 line/mm, 400 x 40 MH, MR, MMR, JBIG ndard: 4 MB (approximately 320 pag onal: 60 MB (approximately 320 pag onal: 60 MB (approximately 4,800 pa Letter, Legal, Ledger, HLT, A3-A6, B4- egal, Ledger, HLT, A3-A6, B4-B6, Envi 1,200 sheets 4,700 sheets 500 sheets	dpi 0 dpi es) ges) B6, Envelopes elopes, Custom size	3,625 sheets
ican modes AX (OPTION) Circuit Transmission speed Modem speed: maximum Resolution Compression method Memory APER HANDLING Recommended paper size Paper input: standard Paper output: standard Paper output: standard Paper output: maximum Paper o	1,625 sheets	Stand Det Optio Sta Sta Optio Trays 1 and 2: Bypass tray: Letter, 1	PSTN, PBX Approximately 2 seconds 33.6 Kbps ard mode: 8 x 3.85 line/mm, 200 x 10 ail mode: 8 x 7.7 line/mm, 200 x 200 n mode: 16 x 15.4 line/mm, 400 x 400 MH, MR, MMR, JBIG ndard: 4 MB (approximately 320 pag- onal: 60 MB (approximately 4,800 pa and 4 (AMB (approximately 4,800 pa cond): 60 MB (approximately	dpi 0 dpi es) ges) B6, Envelopes elopes, Custom size	3,625 sheets

RICOH IM 2500/IM 3500/IM 4000/IM 5000/IM 6000

MAIN SPECIFICATIONS

	RICOH IM 2500	RICOH IM 3500	RICOH IM 4000	RICOH IM 5000	RICOH IM 6000
OLOGY					
ower consumption: maximum	1,600 W	1,600 W	1,600 W	1,600 W	1,600 W
ower consumption: operation	437 W	536 W	584 W	755 W	811 W
ower consumption: ready	57.0 W	57.0 W	62.2 W	62.2 W	62.2 W
ower consumption: sleep	0.54 W	0.53 W	0.54 W	0.54 W	0.54 W
ower consumption: TEC ¹	0.29 kWh/week	0.41 kWh/week	0.45 kWh/week	0.61 kWh/week	0.72 kWh/week
PEAT®		*EP	Gold Rated* EAT Gold rating is applicable only in the U	SA.	
UTPUT TRAYS AND FINISHER OPTIONS					
x 550-sheet Paper tray (PB3300)			ize: Letter, Legal, Ledger, HLT, A3-A6, Paper weight: 60-300 g/m ² Is: 23.1" x 27.0" x 9.7" (587 x 685 x Weight: 50.7 lbs (23 kg)		
,000-sheet Large capacity tray (LCIT PB3290)		Dimensior	Paper size: Letter, A4 Paper weight: 60-300 g/m ² ns: 23.1" x 27.0" x 9.7" (587 x 685 x Weight: 48.5 lbs (22 kg)	247 mm)	
,500-sheet side Large capacity tray CIT RT3040)		Dimension	Paper size: Letter, A4, B5 Paper weight: 60-300 g/m ² s: 13.4" x 21.4" x 11.4" (340 x 545 :	x 290 mm)	
,000-sheet Hybrid finisher (SR3260)		Staple capacity: Stap S	Weight: 21.6 lbs (10.5 kg) ize: Letter, Legal, Ledger, HLT, A3-A6, Paper weight: 52-300 g/m ² Stack capacity: 1,000 sheets 50 sheets – Letter, A4; 30 sheets – Le le paper size: Letter, Legal, Ledger, A: Staple paper weight: 52-105 g/m ² taple positions: Top, Bottom, 2 staple s: 22.6" x 24.4" x 37.8" (575 x 620 : Weight: 75 lbs (34 kg)	gal, B4 or larger s B5	
000-sheet Finisher (SR3280)		Staple capacity: Stap Staple	ize: Letter, Legal, Ledger, HLT, A3-A6, Paper weight: 52-300 g/m ² Stack capacity: 3,000 sheets 50 sheets – Letter, A4; 30 sheets – Le le paper size: Letter, Legal, Ledger, A: Staple paper weight: 52-105 g/m ² positions: Top, Bottom, 2 staples, Top s: 25.9" x 24.1" x 37.8" (657 x 613 : Weight: 83.8 lbs (38 kg)	gal, B4 or larger 3-B5 o slant	
,000-sheet Booklet finisher (SR3270)		Staple capacity: Stap Staple	ize: Letter, Legal, Ledger, HLT, A3-A6, Paper weight: 52-300 g/m ² Stack capacity: 1,000 sheets 50 sheets – Letter, A4; 30 sheets – Le le paper size: Letter, Legal, Ledger, A: Staple paper weight: 52-105 g/m ² e positions: Top, Bottom, 2 staples, Bc s: 22.6" x 24.4" x 37.8" (575 x 620 : Weight: 95.9 lbs (43.5 kg)	gal, B4 or larger 3-B5 voklet	
00-sheet Internal finisher (SR3250)		Staple capacity: Stap Stap	ize: Letter, Legal, Ledger, HLT, A3-A6, Paper weight: (52-300 g/m ²) itack capacity: 500 sheets – Letter, A4 50 sheets – Letter, A4; 30 sheets – Le le paper size: Letter, Legal, Ledger, A: Staple paper weight: (52-105 g/m ²) taple positions: Top, Bottom, 2 staple is: 21.5" x 20.6" x 6.7" (546 x 523 x Weight: 28.2 lbs (12.8 kg)	l gal, B4 or larger 8-B5 s	
iternal shift tray (SH3080)		Paper s	Tray capacity: 250 sheets – Letter, A4 ize: Letter, Legal, Ledger, HLT, A3-A6, Paper weight: 52-300 g/m ² is: 16.5" x 19.3" x 4.2" (420 x 489 x Weight: 3.1 lbs (1.4 kg)		
ne-bin tray (BN3130)			Tray capacity: 125 sheets ize: Letter, Legal, Ledger, HLT, A3-A5, Paper weight: 52-300 g/m ² is: 17.5" x 17.7" x 5.9" (444 x 450 x Weight: 3.1 lbs (1.4 kg)		

RICOH IM 2500/IM 3500/IM 4000/IM 5000/IM 6000

MAIN SPECIFICATIONS

other options	RICOH IM 2500	RICOH IM 3500	RICOH IM 4000	RICOH IM 5000	RICOH IM 6000	Adobe [®] PostScript [®] 3 ^w
Bridge Unit BU3090, Cabinet Type F, E: Multi-fold Unit FD3010, IPDS Unit Type imart Card Reader Built-in Unit Type N ONSUMABLES	e M45, OCR Unit Type M13, Optional			-		🛞 Bluetooth
oner: black Vaste toner bottle	24,000 prints 120,000 prints	24,000 prints 120,000 prints	37,000 prints 160,000 prints	37,000 prints 160,000 prints	37,000 prints 160,000 prints	Wi Fi CERTIFIED
Consumable yield based on 6% covera	age on A4					Works with Apple AirPrint
ome options may not be available at the tin	ne of market release.					

Specifications are subject to change without notice.

For maximum performance and yield, we recommend using genuine Ricoh parts and supplies.

Some features may require additional options and/or charges.

Ricoh USA, Inc.

300 Eagleview Boulevard Exton, PA 19341





www.ricoh-usa.com



Ricoh USA, Inc., 300 Eagleview Boulevard, Exton, PA 19341, 1-800-63-RICOH ©2021. Ricoh USA, Inc. All rights reserved. Ricoh[®] and the Ricoh logo are registered trademarks of Ricoh Company, Ltd. All other trademarks are the property of their respective owners. The content of this document, and the appearance, features and specifications of Ricoh products and services are subject to change from time to time without notice. Products are shown with optional features. While care has been taken to ensure the accuracy of this information, Ricoh makes no representation or warranties about the accuracy, completeness or adequacy of the information contained herein, and shall not be liable for any errors or omissions in these materials. Actual results will vary depending upon use of the products and services, and the conditions and factors affecting performance. The only warranties for Ricoh products and services are as set forth in the express warranty statements accompanying them.

eRe